

PENDING CLAIMS  
Application No. 10/203,254  
Attorney Docket No. 05725.0817-01000  
Filing or 371(c) Date: March 24, 2003

1. (Original) A composition comprising at least one liquid fatty phase which comprises:
  - (i) at least one structuring polymer comprising:  
a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and
  - (ii) at least one gelling agent, with the proviso that said at least one gelling agent is not silica, methyl 12-hydroxystearate, 12-hydroxy stearic acid, or stearylalkonium hectorite.
2. (Original) The composition according to claim 1, wherein the composition is in a form chosen from a fluid anhydrous gel, rigid anhydrous gel, fluid simple emulsion, rigid simple emulsion, fluid multiple emulsion, and rigid multiple emulsion.
3. (Original) An anhydrous composition comprising at least one liquid fatty phase which comprises:
  - (i) at least one structuring polymer comprising:  
a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and
  - (ii) at least one gelling agent, with the proviso that said at least one gelling agent is not stearylalkonium hectorite.
4. (Original) The composition according to one of claims 1 to 3, wherein said at least one structuring polymer further comprises at least one of:
  - at least one terminal fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and
  - at least one pendant fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group.

5. (Original) The composition according to claim 4, wherein said alkyl chains and said alkenyl chains each comprise at least four carbon atoms.

6. (Original) The composition according to claim 4 or 5, wherein said alkyl chains and said alkenyl chains each comprise from 8 to 120 carbon atoms.

7. (Original) The composition according to one of claims 4 to 6, wherein said alkyl chains and said alkenyl chains each comprise from 12 to 68 carbon atoms.

8. (Original) The composition according to one of claims 4 to 7, wherein said at least one linking group is chosen from single bonds and urea, urethane, thiourea, thiourethane, thioether, thioester, ester, ether and amine groups.

9. (Original) The composition according to one of claims 4 to 8, wherein said at least one linking group is chosen from urea, ester, and amine groups.

10. (Original) The composition according to one of claims 4 to 9, wherein said at least one linking group is chosen from ester and amine groups.

11. (Original) The composition according to one of claims 4 to 10, wherein said at least one linking group is an ester group present in a proportion ranging from 15% to 40% of the total number of all ester and hetero atom groups in the at least one structuring polymer.

12. (Original) The composition according to one of claims 4 to 11, wherein said at least one linking group is an ester group present in a proportion ranging from 20% to 35% of the total number of all ester and hetero atom groups in the at least one structuring polymer.

13. (Original) The composition according to one of claims 4 to 12, wherein said at least one pendant fatty chain is linked directly to at least one of the hetero atoms of the polymer skeleton.

14. (Original) The composition according to one of claims 4 to 13, wherein said at least one terminal fatty chain is functionalized.

15. (Original) The composition according to one of claims 4 to 14, wherein said at least one pendant fatty chain is functionalized.

16. (Original) The composition according to one of claims 4 to 15, wherein in said at least one structuring polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of all repeating units and fatty chains in the at least one structuring polymer.

17. (Original) The composition according to one of claims 4 to 16, wherein in said at least one structuring polymer, the percentage of the total number of fatty chains ranges from 50% to 95% relative to the total number of all repeating units and fatty chains in the at least one structuring polymer.

18. (Original) The composition according to one of claim 1 to 17, wherein said at least one structuring polymer has a weight-average molecular mass of less than 100,000.

19. (Original) The composition according to one of claims 1 to 18, wherein said at least one structuring polymer has a weight-average molecular mass of less than 50,000.

20. (Original) The composition according to one of claims 1 to 19, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 1000 to 30,000.

21. (Original) The composition according to one of claims 1 to 20, wherein said at least one hydrocarbon-based repeating unit comprises from 2 to 80 carbon atoms.

22. (Original) The composition according to one of claims 1 to 21, wherein said at least one hetero atom of said at least one hydrocarbon-based repeating unit is chosen from nitrogen, sulphur, and phosphorus.

23. (Original) The composition according to claim 22, wherein said at least one hetero atom is a nitrogen atom.


24. (Original) The composition according to one of claims 1 to 23, wherein said at least one hetero atom is combined with at least one atom chosen from oxygen and carbon to form a hetero atom group.

25. (Original) The composition according to claim 24, wherein said at least one hetero atom group is chosen from amide groups, carbamate groups, and urea groups.

26. (Original) The composition according to claim 24 or 25, wherein said at least one hetero atom group is an amide group and said polymer skeleton is a polyamide skeleton.

27. (Original) The composition according to claim 24 or 25, wherein said at least one hetero atom group is chosen from carbamate groups and urea groups and said polymer skeleton is chosen from a polyurethane skeleton, a polyurea skeleton and a polyurethane-polyurea skeleton.

28. (Original) The composition according to one of claims 1 to 26, wherein said at least one structuring polymer is chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one polyamide polymer ranges from 10% to 50% of the total number of all ester groups and all amide groups comprised in said at least one polyamide polymer;
  - R<sup>1</sup>, which are identical or different, are each chosen from alkyl groups comprising at least 4 carbon atoms and alkenyl groups comprising at least 4 carbon atoms;
  - R<sup>2</sup>, which are identical or different, are each chosen from C<sub>4</sub> to C<sub>42</sub> hydrocarbon-based groups with the proviso that at least 50% of all R<sup>2</sup> are chosen from C<sub>30</sub> to C<sub>42</sub> hydrocarbon-based groups;
  - R<sup>3</sup>, which are identical or different, are each chosen from organic groups comprising atoms chosen from carbon atoms, hydrogen atoms, oxygen atoms and nitrogen atoms with the proviso that R<sup>3</sup> comprises at least 2 carbon atoms;
- and

-  $R^4$ , which are identical or different, are each chosen from hydrogen atoms,  $C_1$  to  $C_{10}$  alkyl groups and a direct bond to at least one group chosen from  $R^3$  and another  $R^4$  such that when said at least one group is chosen from another  $R^4$ , the nitrogen atom to which both  $R^3$  and  $R^4$  are bonded forms part of a heterocyclic structure defined in part by  $R^4-N-R^3$ , with the proviso that at least 50% of all  $R^4$  are chosen from hydrogen atoms.

29. (Original) The composition according to claim 28, wherein in said formula (I),  $n$  is an integer ranging from 1 to 5.

30. (Original) The composition according to claim 28 or 29, wherein in said formula (I), said alkyl groups of  $R^1$  and said alkenyl groups of  $R^1$  each independently comprise from 4 to 24 carbon atoms.

31. (Original) The composition according to one of claims 28 to 30, wherein in said formula (I),  $R^1$ , which are identical or different, are each chosen from  $C_{12}$  to  $C_{22}$  alkyl groups.

32. (Original) The composition according to one of claims 28 to 31, wherein in said formula (I),  $R^1$ , which are identical or different, are each chosen from  $C_{16}$  to  $C_{22}$  alkyl groups.

33. (Original) The composition according to one of claims 28 to 32, wherein in said formula (I),  $R^2$ , which are identical or different, are each chosen from  $C_{10}$  to  $C_{42}$  hydrocarbon based groups with the proviso that at least 50% of all  $R^2$  are chosen from  $C_{30}$  to  $C_{42}$  hydrocarbon based groups.

34. (Original) The composition according to one of claims 28 to 33, wherein in said formula (I),  $R^3$ , which can be identical or different, are each chosen from  $C_2$  to  $C_{36}$  hydrocarbon-based groups and polyoxyalkylene groups.

35. (Original) The composition according to one of claims 28 to 34, wherein  $R^3$ , which can be identical or different, are each chosen from  $C_2$  to  $C_{12}$  hydrocarbon-based groups.

36. (Original) The composition according to one of claims 28 to 35, wherein in said formula (I),  $R^4$ , which can be identical or different, are each chosen from hydrogen atoms.

37. (Original) The composition according to one of claims 28 to 36, wherein said at least one polymer of formula (I) is in the form of a mixture of polymers, wherein said mixture optionally also comprises a compound of formula (I) wherein n is equal to zero.

38. (Original) A composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer, wherein said at least one structuring polymer is at least one polyamide polymer comprising:

a polymer skeleton which comprises at least one amide repeating unit;  
and

(ii) at least one gelling agent, with the proviso that said at least one gelling agent is not silica, methyl 12-hydroxystearate, 12-hydroxy stearic acid, or stearalkonium hectorite.

39. (Original) The composition according to claim 38, wherein said at least one polyamide polymer further comprises at least one of:

at least one terminal fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and

at least one pendant fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group.

40. (Original) The composition according to claim 39, wherein said alkyl chains and said alkenyl chains each comprise at least four carbon atoms.

41. (Original) The composition according to claim 39 or 40, wherein said alkyl chains and said alkenyl chains each comprise from 8 to 120 carbon atoms.

42. (Original) The composition according to one of claims 39 to 41, wherein said alkyl chains and said alkenyl chains each comprise from 12 to 68 carbon atoms.

43. (Original) The composition according to one of claims 39 to 42, wherein said at least one linking group is chosen from single bonds and urea,

urethane, thiourea, thiourethane, thioether, thioester, ester, ether and amine groups.

44. (Original) The composition according to one of claims 39 to 43, wherein said at least one linking group is chosen from urea, ester, and amine groups.

45. (Original) The composition according to one of claims 39 to 44, wherein said at least one linking group is chosen from ester and amine groups.

46. (Original) The composition according to one of claims 39 to 45, wherein said at least one linking group is an ester group present in a proportion ranging from 15% to 40% of the total number of all ester and amide groups in the at least one polyamide polymer.

47. (Original) The composition according to one of claims 39 to 46, wherein said at least one linking group is an ester group present in a proportion ranging from 20% to 35% of the total number of all ester and amide groups in the at least one polyamide polymer.

48. (Original) The composition according to one of claims 39 to 47, wherein said at least one pendant fatty chain is linked directly to at least one of the nitrogen atoms in the at least one repeating unit of the polymer skeleton.

49. (Original) The composition according to claim 39, wherein said at least one terminal fatty chain is linked to said polymer skeleton via at least one ester group.

50. (Original) The composition according to one of claims 39 to 49, wherein said at least one terminal fatty chain is functionalized.

51. (Original) The composition according to one of claims 39 to 50, wherein said at least one pendant fatty chain is functionalized.

52. (Original) The composition according to one of claims 39 to 51, wherein in said at least one polyamide polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of all amide units and fatty chains in the at least one polyamide polymer.

53. (Original) The composition according to one of claims 39 to 52, wherein in said at least one polyamide polymer, the percentage of the total


number of fatty chains ranges from 50% to 95% relative to the total number of all amide units and fatty chains in the at least one polyamide polymer.

54. (Original) The composition according to one of claims 39 to 53, wherein said at least one polyamide polymer has a weight-average molecular mass of less than 100,000.

55. (Original) The composition according to one of claims 39 to 54, wherein said at least one polyamide polymer has a weight-average molecular mass of less than 50,000.

56. (Original) The composition according to one of claims 39 to 55, wherein said at least one polyamide polymer has a weight-average molecular mass ranging from 1000 to 30,000.

57. (Original) The composition according to one of claims 39 to 56, wherein said at least one polyamide polymer is chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one polyamide polymer ranges from 10% to 50% of the total number of all ester groups and all amide groups comprised in said at least one polyamide polymer;
- R<sup>1</sup>, which are identical or different, are each chosen from alkyl groups comprising at least 4 carbon atoms and alkenyl groups comprising at least 4 carbon atoms;
- R<sup>2</sup>, which are identical or different, are each chosen from C<sub>4</sub> to C<sub>42</sub> hydrocarbon-based groups with the proviso that at least 50% of all R<sup>2</sup> are chosen from C<sub>30</sub> to C<sub>42</sub> hydrocarbon-based groups;



- $R^3$ , which are identical or different, are each chosen from organic groups comprising atoms chosen from carbon atoms, hydrogen atoms, oxygen atoms and nitrogen atoms with the proviso that  $R^3$  comprises at least 2 carbon atoms; and
- $R^4$ , which are identical or different, are each chosen from hydrogen atoms,  $C_1$  to  $C_{10}$  alkyl groups and a direct bond to at least one group chosen from  $R^3$  and another  $R^4$  such that when said at least one group is chosen from another  $R^4$ , the nitrogen atom to which both  $R^3$  and  $R^4$  are bonded forms part of a heterocyclic structure defined in part by  $R^4-N-R^3$ , with the proviso that at least 50% of all  $R^4$  are chosen from hydrogen atoms.

58. (Original) The composition according to claim 57, wherein in said formula (I),  $n$  is an integer ranging from 1 to 5.

59. (Original) The composition according to claim 57 or 58, wherein in said formula (I), said alkyl groups of  $R^1$  and said alkenyl groups of  $R^1$  each independently comprise from 4 to 24 carbon atoms.

60. (Original) The composition according to one of claims 57 to 59, wherein in said formula (I),  $R^1$ , which are identical or different, are each chosen from  $C_{12}$  to  $C_{22}$  alkyl groups.

61. (Original) The composition according to one of claims 57 to 60, wherein in said formula (I),  $R^1$ , which are identical or different, are each chosen from  $C_{16}$  to  $C_{22}$  alkyl groups.

62. (Original) The composition according to one of claims 57 to 61, wherein in said formula (I),  $R^2$ , which are identical or different, are each chosen from  $C_{10}$  to  $C_{42}$  hydrocarbon based groups with the proviso that at least 50% of all  $R^2$  are chosen from  $C_{30}$  to  $C_{42}$  hydrocarbon based groups.

63. (Original) The composition according to one of claims 57 to 62, wherein in said formula (I),  $R^3$ , which can be identical or different, are each chosen from  $C_2$  to  $C_{36}$  hydrocarbon-based groups and polyoxyalkylene groups.

64. (Original) The composition according to one of claims 57 to 63, wherein  $R^3$ , which can be identical or different, are each chosen from  $C_2$  to  $C_{12}$  hydrocarbon-based groups.

65. (Original) The composition according to one of claims 57 to 64, wherein in said formula (I),  $R^4$ , which can be identical or different, are each chosen from hydrogen atoms.

66. (Original) The composition according to one of claims 57 to 65, wherein said at least one polymer of formula (I) is in the form of a mixture of polymers, wherein said mixture optionally also comprises a compound of formula (I) wherein n is equal to zero.

67. (Original) The composition according to one of claims 58 to 66, wherein said at least one polyamide polymer is chosen from polymers resulting from at least one polycondensation reaction between at least one acid chosen from dicarboxylic acids comprising at least 32 carbon atoms and at least one amine chosen from diamines comprising at least 2 carbon atoms and triamines comprising at least 2 carbon atoms.

68. (Original) The composition according to claim 67, wherein said dicarboxylic acids comprise from 32 to 44 carbon atoms and said at least one amine comprises from 2 to 36 carbon atoms.

69. (Original) The composition according to one of claims 67 to 68, wherein said dicarboxylic acids are chosen from dimers of fatty acids chosen from oleic acid, linoleic acid and linolenic acid.

70. (Original) The composition according to one of claims 67 to 69, wherein said at least one amine is chosen from diamines comprising ethylenediamine, hexylenediamine, hexamethylenediamine, and phenylenediamine and from triamines comprising ethylenetriamine.

71. (Original) The composition according to one of claims 38 to 70, wherein said at least one polyamide polymer is chosen from polymers comprising at least one terminal carboxylic acid group.

72. (Original) The composition according to claim 71, wherein said at least one terminal carboxylic acid group is esterified with at least one alcohol chosen from monoalcohols comprising at least 4 carbon atoms.

73. (Original) The composition according to one of claim 1 to 72, wherein said at least one polyamide polymer has a softening point greater than 50°C.

74. (Original) The composition according to one of claims 1 to 73, wherein said at least one polyamide polymer has a softening point is less than 150°C.

75. (Original) The composition according to one of claims 1 to 74, wherein said at least one polyamide polymer has a softening point ranging from 70°C to 130°C.

76. (Original) The composition according to one of claims 1 to 75, wherein said at least one polyamide polymer is present in the composition in an amount ranging from 0.5% to 80% by weight relative to the total weight of the composition.

77. (Original) The composition according to one of claims 1 to 76, wherein said at least one polyamide polymer is present in the composition in an amount ranging from 2% to 60% by weight relative to the total weight of the composition.

78. (Original) The composition according to one of claims 1 to 77, wherein said composition has a hardness ranging from 30 to 300 gf.

79. (Original) The composition according to one of claims 1 to 78, wherein said composition has a hardness ranging from 30 to 250 gf.

80. (Original) The composition according to one of claims 1 to 79, wherein said at least one liquid fatty phase of the composition comprises at least one oil chosen from at least one polar oil and at least one apolar oil having an affinity with the least one structuring polymer.

81. (Original) The composition according to claim 80, wherein said at least one polar oil is chosen from:

- hydrocarbon-based plant oils with a high content of triglycerides comprising fatty acid esters of glycerol in which the fatty acids comprise chains having from 4 to 24 carbon atoms, said chains optionally being chosen from linear and branched, and saturated and unsaturated chains;

- synthetic oils or esters of formula  $R_5COOR_6$  in which  $R_5$  is chosen from linear and branched fatty acid residues comprising from 1 to 40 carbon atoms and  $R_6$  is chosen from hydrocarbon-based chain containing from 1 to 40 carbon atoms, with the proviso that  $R_5 + R_6 \geq 10$ ;
- synthetic ethers containing from 10 to 40 carbon atoms;
- $C_8$  to  $C_{26}$  fatty alcohols; and
- $C_8$  to  $C_{26}$  fatty acids.

82. (Original) The composition according to claim 80, wherein said at least one apolar oil is chosen from:

- silicone oils chosen from volatile and non-volatile, linear and cyclic polydimethylsiloxanes that are liquid at room temperature;
- polydimethylsiloxanes comprising alkyl or alkoxy groups which are pendant and/or at the end of the silicone chain, the groups each containing from 2 to 24 carbon atoms;
- phenylsilicones; and
- hydrocarbons chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin.

83. (Original) The composition according to one of claims 1 to 82, wherein said at least one liquid fatty phase comprises at least one non-volatile oil.

84. (Original) The composition according to one of claims 1 to 83, wherein said at least one liquid fatty phase is present in an amount ranging from 1% to 99% by weight relative to the total weight of the composition.

85. (Original) The composition according to one of claims 1 to 84, wherein said at least one liquid fatty phase is present in an amount ranging from 10% to 80% by weight relative to the total weight of the composition.

86. (Original) The composition according to one of claims 1 to 85, wherein said at least one liquid fatty phase comprises at least one volatile solvent chosen from hydrocarbon-based solvents and silicone solvents optionally comprising alkyl or alkoxy groups that are pendant or at the end of a silicone chain.

87. (Original) The composition according to one of claims 1 to 86, wherein said at least one gelling agent is chosen from gelling agents in polymeric form and gelling agents in mineral form.

88. (Original) The composition according to one of claims 1 to 87, wherein the at least one gelling agent is chosen from optionally modified clays, partially and totally crosslinked elastomeric polyorganosiloxanes, galactomannans comprising from 1 to 6 hydroxyl groups per saccharide, substituted with a saturated or unsaturated alkyl chain, ethylcellulose, silicone gums and block copolymers.

89. (Original) The composition according to claim 88, wherein said galactomannans comprise from 2 to 4 hydroxyl groups per saccharide.

90. (Original) The composition according to one of claims 1 to 89, wherein said at least one gelling agent is in mineral form with particle sizes that cause little or no light scattering.

91. (Original) The composition according to claim 90, wherein said at least one gelling agent is fumed silica.

92. (Original) The composition according to one of claims 1 to 91, wherein said at least one gelling agent is present in an amount ranging from 0.05% to 35% by weight relative to the total weight of the composition.

93. (Original) The composition according to one of claims 1 to 92, wherein said at least one gelling agent is present in an amount ranging from 0.5 % to 20 % by weight relative to the total of the composition.

94. (Original) The composition according to one of claims 1 to 92, further comprising at least one amphiphilic compound that is liquid and non-volatile at room temperature and has a hydrophilic/lipophilic balance of less than 12.

95. (Original) The composition according to claim 93, wherein said hydrophilic/lipophilic balance value ranges from 1 to 8.

96. (Original) The composition according to claim 94 or 95, wherein said at least one amphiphilic compound comprises a lipophilic part linked to a

polar part, the lipophilic part comprising a carbon-based chain comprising at least 8 carbon atoms.

97. (Original) The composition according to one of claims 94 to 96, wherein said at least one amphiphilic compound is present in an amount ranging from 0.1% to 35% by weight relative to the total weight of the composition.

98. (Original) The composition according to one of claims 94 to 97, wherein said at least one amphiphilic compound is present in an amount ranging from 1% to 20% by weight relative to the total weight of the composition.

99. (Original) The composition according to one of claims 1 to 98, further comprising at least one additional additive chosen from antioxidants, essential oils, preserving agents, fragrances, fillers, waxes, fatty compounds that are pasty at room temperature, neutralizing agents, gums, liposoluble polymers and polymers that are dispersible in a lipophilic medium, cosmetic and dermatological active agents, dispersants, and an aqueous phase containing water that is optionally thickened or gelled with an aqueous-phase thickener or gelling agent and optionally water-miscible compounds.

100. (Original) The composition according to one of claims 1 to 99, further comprising at least one coloring agent.

101. (Original) The composition according to one of claims 1 to 100, wherein said at least one coloring agent is chosen from lipophilic dyes, hydrophilic dyes, pigments and naces.

102. (Original) The composition according to one of claims 100 to 101, wherein said at least one coloring agent is present in a proportion of from 0.01% to 50% relative to the total weight of the composition.

103. (Original) The composition according to one of claims 1 to 102, wherein said composition is a solid.

104. (Original) The composition according to one of claims 1 to 103, wherein said composition is a solid chosen from molded and poured sticks.

105. (Original) The composition according to one of claims 1 to 104, wherein said composition is in the form of a rigid gel.

106. (Original) The composition according to one of claims 1 to 105, wherein said composition further comprises at least one wax.

107. (Original) The composition according to claim 106, wherein said at least one wax is chosen from beeswax, carnauba wax, candelilla wax, ouricury wax, Japan wax, cork fibre wax, sugar cane wax, paraffin wax, lignite wax, microcrystalline waxes, lanolin wax, montan wax, ozokerites and hydrogenated oils, polyethylene waxes, waxes obtained by Fischer-Tropsch synthesis, fatty acid esters and glycerides that are solid at 40°C, and silicone waxes.

108. (Original) The composition according to one of claims 1 to 107, wherein said composition is in the form of an anhydrous stick.

109. (Original) A mascara, an eyeliner, a foundation, a lipstick, a blusher, a make-up-removing product, a make-up product for the body, an eyeshadow, a face powder, a concealer product, a shampoo, a conditioner, an antisen product or a care product for the skin, lips, or hair comprising a composition comprising at least one liquid fatty phase in said mascara, eyeliner, foundation, blusher, lipstick, make-up-removing product, make-up product for the body, eyeshadow, face powder, concealer product, shampoo, conditioner, antisen product or care product for the skin, lips, or hair which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent.

110. (Original) A deodorant product or a care product for the skin or body comprising an anhydrous composition comprising at least one liquid fatty phase in said product which comprises :

(i) at least one structuring polymer comprising

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent, wherein said gelling agent is not silica, methyl 12-hydroxystearate, or 12-hydroxy stearic acid.

111. (Original) A care and/or treatment and/or make-up composition for

keratinous fibers, lips or skin comprising at least one liquid fatty phase in said care and/or treatment and/or make-up composition for keratinous fibers, lips or skin which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent.

112. (Original) A care and/or treatment and/or make-up composition for keratin materials comprising a composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent, wherein said at least one gelling agent is not stearylkonium hectorite.

113. (Original) A lipstick composition in stick form comprising at least one continuous liquid fatty phase, at least one gelling agent and at least one non-waxy structuring polymer having a weight-average molecular mass of less than 100 000, said continuous liquid fatty phase, said at least one gelling agent and said at least one non-waxy structuring polymer being present in said lipstick composition.

114. (Original) A method for care, make-up or treatment of keratin materials comprising applying to said keratin materials a composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent, wherein said at least one gelling agent is not stearylkonium hectorite.



115. (Original) A method for care, make-up or treatment of keratinous fibers, lips, or skin comprising applying to said keratinous fibers, lips, or skin a composition comprising at least one liquid fatty phase which comprises :

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent.

116. (Original) A method for providing an anhydrous composition having at least one property chosen from non-exudation, gloss, and comfortable deposit on keratin materials chosen from lips, skin, and keratinous fibers, comprising including in said composition at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one gelling agent.

117. (Original) A structured composition comprising at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, wherein the at least one structuring polymer further comprises at least one chain chosen from :

(i) terminal fatty chains, optionally functionalized, chosen from alkyl and alkenyl chains, bonded to the polymer skeleton via at least one linking group chosen from amides, ureas, and esters, and

(ii) pendant fatty chains, optionally functionalized, chosen from alkyl and alkenyl chains, bonded to the polymer skeleton via at least one linking group chosen from amides, ureas, and esters,

wherein when said at least one linking group is chosen from esters, said at least one terminal fatty chain is chosen from branched alkyl groups, and further comprising at least one gelling agent.

118. (Original) A make up or care or treatment composition for the skin, the lips, or keratinous fibers comprising a structured composition comprising at

least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, at least one gelling agent, and at least one coloring agent.

119. (Original) A method of making up or caring for skin, lips, or keratinous fibers comprising applying to said skin, lips, or keratinous fibers a structured composition comprising at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom and at least one gelling agent.

120. (Original) A composition comprising at least one liquid fatty phase which comprises :

(i) at least one structuring polymer comprising:


a polymer skeleton which comprises at least three hydrocarbon-based repeating units comprising at least one hetero atom; and

(ii) at least one gelling agent, wherein said gelling agent is not silica, methyl 12-hydroxystearate, or 12-hydroxy stearic acid.

121. (Original) A composition according to claim 120, wherein said at least three hydrocarbon-based repeating units are identical.



122. (Original) A composition comprising at least one liquid fatty phase which comprises :

(i) at least one structuring polymer chosen from urea urethanes having the following formula:





wherein R represents  $C_nH_{2n+1}-$ , wherein n represents an integer having a value greater than 22 or  $C_mH_{2m+1}(OC_pH_{2p})_r-$ , wherein m represents an integer having a value of greater than 18, p represents an integer having a value of from 2 to 4, and r represents an integer having a value of from 1 to 10.

R' represents:



and  $R''$  represents:



; and

(ii) at least one gelling agent

123. (Original) The composition according to one of claims 4 to 26, wherein said at least one terminal fatty chain is linked to the polymer skeleton via at least one ester group.

124. (Original) A composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising :

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and at least one of:

- at least one terminal fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and

- at least one pendant fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group; and  
(ii) at least one gelling agent.